

Indoor unit model name SRK71ZR-W Outdoor unit model name SRC71ZR-W

Refrigerant	R32	GWP	6	375	
-		-			
-	-	-	-	erant with lower global warming potential (GWP)	would
				igher GWP, if leaked to the atmosphere. This	
	-		-	0 675. This means that if 1kg of this refrigerant flu	
	-		-	warming would be 675 times higher than 1kg of	
-	ays ask a professiona		iun ine	refrigerant circuit yourself or disassemble the pro	Jauci
yoursell and alw	ays ask a professiona	1.			
Cooling mode					
SEER		7.4			
Energy efficie		A++			
Design load (			kW		
Energy consu				per year.based on standard test results	
Actual ener	gy consumption will	depend on	how t	he appliance is used and where it is located	•
Heating mode (A	Average)				
SCŎP `	<b>U</b> /	4.5			
Energy efficie	ency class	A+			
Design load (	Pdesignh)	6.6	kW	(-10°C)	
Declared cap	acity	6.60	kW	(-10°C)	
Back up heat	ing capacity	0	kW	(-10°C)	
Energy consu	umption,	2055	kWh	per year based on standard test results	
Actual ener	gy consumption will	depend on	how t	he appliance is used and where it is located	
Heating mode ()	Normar) Ontional				
SCOP	Warmer) Optional	5.7			
Energy efficie	anov class	5.7 A+++			
Design load (			kW	(2°C)	
Declared cap		8.30		(2°C)	
Back up heat			kW	(2°C)	
Energy consu				per year.based on standard test results	
				he appliance is used and where it is located	
	gy concamption m				•
Heating mode (0	Colder) Optional				
SCOP		-			
Energy efficie		-			
Design load (			kW	(-22°C)	
Declared cap	3		kW	(-22°C)	
Back up heat			kW	(-22°C)	
Energy consu				per year based on standard test results	
Actual ener	gy consumption will	depend on	how t	he appliance is used and where it is located	•
Sound power	· level (indoor)	57		dB(A)	
	level (outdoor)	63		dB(A)	