

Indoor unit model name SRK25ZSX-WT Outdoor unit model name SRC25ZSX-W

Refrigerant	R32	GWP	6	75		
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 675. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 675 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.						
Cooling mode						
SEER		10.3				
Energy efficie	ncy class	A+++				
Design load (Pdesignc)	2.5	kW			
Energy consu	imption,	. 85	kWh j	per year.based	d on standard test re	sults.
Actual energy consumption will depend on how the appliance is used and where it is located.						
Heating mode (A	verage)					
SCOP	(verage)	52				
Energy efficie	ncv class	Δ+++				
Design load (Pdesignh)	30	kW	(-10°C)		
Declared cap	acity	3.00	kW	(-10°C)		
Back up heati	ng capacity	0	kW	(-10°C)		
Energy consu	imption.	808	kWh i	per vear base	d on standard test re	sults.
Actual energy	gy consumption will o	depend on	how th	he appliance is	used and where it is lo	cated.
		-				
Heating mode (V	Varmer) Optional					
SCOP		6.6				
Energy efficie	ncy class	A+++				
Design load (Pdesignh)	4.2	kW	(2°C)		
Declared cap	acity	4.20	kW	(2°C)		
Back up heati	ng capacity	0	KVV	(2°C)		
Energy consu	imption,	. 891	kWhj	per year.base	d on standard test re	sults.
Actual energy consumption will depend on now the appliance is used and where it is located.						
Heating mode (C	older) Ontional					
SCOP		-				
Energy efficie	ncv class	_				
Design load (Pdesignh)	_	kW	(-22°C)		
Declared cap	acity		kW	(-22°C)		
Back up heati	ng capacity	-	kW	(-22°C)		
Energy consumption - kWh per year based on standard test results						
Actual energy consumption will depend on how the appliance is used and where it is located.						
Sound power	level (indoor)	55		dB(A)		
Sound power	level (outdoor)	57		dB(A)		