

Indoor unit model name SRK35ZSX-WT Outdoor unit model name SRC35ZSX-W

Refrigerant	R32	GWP		675
Treingerant	NJZ	GWF		0.0
contribute less to appliance contai would be leaked over a period of	o global warming than ns a refrigerant fluid w to the atmosphere, the	a refrigerant ith a GWP e e impact on p interfere w	t with h equal to global	erant with lower global warming potential (GWP) would higher GWP, if leaked to the atmosphere. This o 675. This means that if 1kg of this refrigerant fluid warming would be 675 times higher than 1kg of CO2, refrigerant circuit yourself or disassemble the product
Cooling mode				
SEER		9.5		
Energy efficie		A+++		
Design load (kW	
Energy consu Actual ener				per year.based on standard test results. the appliance is used and where it is located.
Heating mode (A SCOP	Average)	5.1		
Energy efficie	ancy class	0.1 A+++		
Design load (kW	(-10°C)
Declared cap		3.40		(-10°C)
Back up heat			kW	(-10°C) (-10°C)
Energy consu	0 1 7			per year.based on standard test results.
				the appliance is used and where it is located.
		-		
	Varmer) Optional	0.5		
SCOP		6.5		
Energy efficie		A+++		(0°C)
Design load (u ,		kW	(2°C)
Declared cap		4.70		(2°C)
Back up heat			kW	(2°C)
Energy consu Actual ener				per year.based on standard test results. the appliance is used and where it is located.
	gy concamption with		11011	
Heating mode (C	Colder) Optional			
SCOP		-		
Energy efficie		-		
Design load (kW	(-22°C)
Declared cap	3		kW	(-22°C)
Back up heat			kW	(-22°C)
Energy consu	. ,			per year based on standard test results.
Actual energy consumption will depend on how the appliance is used and where it is located.				
Sound power	level (indoor)	58		dB(A)
	level (outdoor)	61		dB(A)
	. ,			